



BARN DOOR HARDWARE - MODERN RECTANGULAR TOP/FACE MOUNT HANGER

EMTEK.



Face Mount Hanger



Top Mount Hanger

**Click here to
Purchase:**




**TRADEMARK
HARDWARE**
WORLD OF QUALITY HARDWARE
WWW.TMHARDWARE.COM

The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.


Note: For general info only. Do NOT use as a drilling template.

BARN DOOR HARDWARE - CLASSIC TOP/FACE MOUNT HANGER

EMTEK®



Face Mount Hanger







Top Mount Hanger

The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.





Note: For general info only. Do NOT use as a drilling template.

FLAT



7/32 Hex


CLASSIC



7/32 Hex

The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.


Note: For general info only. Do NOT use as a drilling template.



Without a counterbore, the door thickness is 1-3/8" to 2-1/4"

BARN DOOR HARDWARE - SOFT OPEN/CLOSE KIT

EMTEK®




The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.

Note: For general info only. Do NOT use as a drilling template.

BARN DOOR HARDWARE - FLAT TRACK LENGTH WITH SOFT OPEN/CLOSE MEASUREMENTS

EMTEK®




The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.

Note: For general info only. Do NOT use as a drilling template.


BARN DOOR HARDWARE - FLAT TRACK LENGTH WITH SPLICE KIT MEASUREMENTS

EMTEK®





The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.


Note: For general info only. Do NOT use as a drilling template.





Floor Guide



Anti-Jump



HEX 5/16 X .200 DEEP





Track Screw

The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.

Note: For general info only. Do NOT use as a drilling template.

DOOR THICKNESS 1-3/8" to 2-1/4"*

**Up to 2-3/4" thickness can be achieved with use of a counter-bore for face mount hangers and adjusting hanger placement for top mount*



The wall or structure that your system will be mounted on must be designed to support a maximum door weight of 400 lbs.