

5 Fascia SD/HD/XHD



- ▶ Hide your gap between profile and door
- ▶ For header mount or wall mount application
- ▶ Easy to install: Just snap into fascia clips
- ▶ Suitable for 25 mm (1") to 44 mm (1 3/4") doors
- ▶ Aluminium, anodized

Advice:

- ▶ Please order fascia clips separately
- ▶ Fascia is not necessary for combination with low head profile hardware set

| Length mm | Length ft. | Order no. | PU |
|-----------|------------|-----------|-------|
| 1829 | 6 | 9 203 732 | 1 ea. |
| 2438 | 8 | 9 203 733 | 1 ea. |
| 4879 | 16 | 9 203 746 | 1 ea. |



Set header mount fascia clip



Set comprises:

- ▶ 5 header mount fascia clips
- ▶ Fixing screws

Advice:

- ▶ Any fascia over 8 ft. long requires 2 sets of clips

| Order no. | PU |
|-----------|-----------|
| 9 203 751 | 1/100 set |

Set wall mount fascia clip



Set comprises:


- ▶ 5 wall mount fascia clips
- ▶ Fixing screws

Advice:


- ▶ Any fascia over 8 ft. long requires 2 sets of clips

| Order no. | PU |
|-----------|-----------|
| 9 203 752 | 1/100 set |

Planning dimensions



Planning dimensions



- ▶ TopLine Grant SD
- ▶ System components

6 Wall mount endcap SD



Final design tuning for wall mount applications:

- ▶ **1** Endcap for wall mount applications without fascia
- ▶ **2** Endcap for wall mount applications with fascia

Endcap SD without fascia



- ▶ Plastic, aluminium colored finish

Set comprises:

- ▶ 1 right hand endcap
- ▶ 1 left hand endcap
- ▶ Fixing screws

| Order no. | PU |
|-----------|-------|
| 9 202 941 | 1 set |

Endcap SD/HD with fascia



- ▶ Plastic, aluminium colored finish


Set comprises:

- ▶ 1 right hand endcap
- ▶ 1 left hand endcap
- ▶ Fixing screws

| Order no. | PU |
|-----------|-------|
| 9 202 943 | 1 set |



Grant SD
Up to 68 kg (150 lbs)



Grant HD
Up to 147 kg (325 lbs)



Grant XHD
Up to 227 kg (500 lbs)

Architectural sliding door system




- ▶ **TopLine Grant HD**
- ▶ **Performance summary**

Technical details in brief


- ▶ The TopLine Grant HD series is a heavy duty commercial and residential grade sliding door hardware series ideal for single and bi-parting installations. Applications include doors between rooms, closet doors, cabinets and storage walls.
- ▶ Soft closing, soft opening
- ▶ Precision ball bearing wheels ensure a smooth, quiet and long lasting performance
- ▶ Self-leveling design allows for even distribution of load for maximum performance and durability
- ▶ 1/2" vertical adjustment; minimal headroom required
- ▶ Heavy duty aluminium box track
- ▶ Cushioned end stops holds door in place
- ▶ Wall mount bracket available
- ▶ Fascia available
- ▶ Meets and/or exceeds ANSI/BHMA standards

Door format and door weight




see pages 44 – 45

Door material




Number of door wings and door position

Single




Bi-parting

Use additional set of hardware



By-passing

Mounting two parallel tracks



Architectural sliding door system

- ▶ TopLine Grant HD
- ▶ System overview



Tracks in several lengths



Choose low profile hardware for a sleek and elegant look or standard hardware



Compliments your door with more comfort and safety



For wall mount applications



Hide your gap with a fascia



Final design tuning with endcaps

- ▶ TopLine Grant HD
- ▶ System components

All inclusive sets



- ▶ Set contains all components for a 1 door application with basic gap design

Set comprises:

- ▶ **1** Track (aluminium, anodized)
- ▶ **2** Hardware set

Advice:

- ▶ For longer track application order hardware set and track separately
- ▶ You can update your all inclusive set with
 - 3** Silent System
 - 4** Wall mount bracket
 - 5** Fascia
 - 6** Endcaps

| Length mm | Length ft. | Order no. | PU |
|-----------|------------|------------------|-------|
| 1219 | 4 | 9 201 506 | 1 set |
| 1524 | 5 | 9 201 507 | 1 set |
| 1829 | 6 | 9 201 508 | 1 set |
| 2438 | 8 | 9 201 510 | 1 set |
| 3048 | 10 | 9 201 511 | 1 set |
| 3658 | 12 | 9 201 512 | 1 set |

Flexible sets

1 Single track HD



- ▶ Aluminium, anodized
- ▶ Easy attachment due to pre-punched screw slots

Advice:

- ▶ Screws are not included. Recommend 31.8 mm (#10 x 1 1/4") panhead

| Length mm | Length ft. | Order no. | PU |
|-----------|------------|------------------|-------|
| 1219 | 4 | 9 201 444 | 1 ea. |
| 1524 | 5 | 9 201 445 | 1 ea. |
| 1829 | 6 | 9 201 446 | 1 ea. |
| 2438 | 8 | 9 201 460 | 1 ea. |
| 3048 | 10 | 9 201 461 | 1 ea. |
| 3658 | 12 | 9 201 462 | 1 ea. |
| 4879 | 16 | 9 201 463 | 1 ea. |

Architectural sliding door system

- ▶ TopLine Grant HD
- ▶ System components

2 Hardware set - Choose between the low profile hardware set for a sleek and elegant look or the standard hardware set

2a Low profile hardware set HD



- ▶ Creates a sleek and elegant look: Minimizes the gap at the top of the door with a minimum reveal of 4 mm (3/16")
- ▶ Ideal also for restricted headroom application
- ▶ Aluminium construction
- ▶ Set contains components for a 1-door application

Set comprises:

- ▶ 1 floor guide
- ▶ 2 end stops
- ▶ 2 carrier assemblies – each assembly contains:
 - 1 channel
 - 1 support insert
 - 1 carrier
 - 1 end cap
- ▶ Wrench
- ▶ Fixing screws

Advice:


- ▶ Door thickness min. 35 mm (1 3/8")
- ▶ Please order profiles separately



| Order no. | PU |
|-----------|-------|
| 9 203 729 | 1 set |


Planning dimensions

Top Line Grant HD / LP up to 147 kg / panel
(325 lbs / panel), minimum door width
35 mm (1 3/8") for sliding applications




*X = 76 mm (3") for use with
Grant HD 5' or 7' track

*X = 102 mm (4") for use with all
other Grant HD track lengths



Framed opening height 52 mm (2 1/16") + Y + Panel + 11 mm (7/16")



- TopLine Grant HD
- System components

2b Standard hardware set HD



- Set contains components for a 1-door application

Set comprises:

- 2 carriers with precision ball bearing wheels and adjustable pendant bolts
- 2 top plates
- 2 endstops
- 1 floor guide
- Fixing screws


Advice:

- Please order profiles separately

| Order no. | PU |
|-----------|----------|
| 9 191 125 | 1/10 set |



Planning dimensions



- ▶ TopLine Grant HD
- ▶ System components

3 Silent System HD



- ▶ Quietly and gently opening and closing sliding doors
- ▶ Suitable for door weight up to 147 kg (325 lbs)
- ▶ Set contains all Silent System components for a 1-door application

Set comprises:

- ▶ 1 Silent System unit HD
- ▶ 2 activators HD
- ▶ 2 end stop for Silent System HD
- ▶ 1 torx wrench key TX15
- ▶ Fixing screws


Advice:

- ▶ Door width 762 mm (30") minimum

| Order no. | PU |
|-----------|-------|
| 9 235 621 | 1 set |



Planning dimensions



- ▶ TopLine Grant HD
- ▶ System components

4 Wall mount bracket SD/HD



- ▶ Ideal for single and bi-parting applications where traditional header mounter pocket and sliding doors are not desired or cannot be structurally installed
- ▶ Suitable for 25 mm (1") to 50 mm (2") doors
- ▶ Aluminium, anodized

Set comprises:

- ▶ 1 wall mount bracket
- ▶ Wall mounting screws
- ▶ Fixing screws and nuts for attaching the track

Advice:

- ▶ Please order running profile separately
- ▶ End stops required on all wall mount applications



| Length mm | Length ft. | Order no. | PU |
|-----------|------------|------------------|-------|
| 1829 | 6 | 9 202 898 | 1 set |
| 2438 | 8 | 9 202 899 | 1 set |
| 4877 | 16 | 9 202 902 | 1 set |

Planning dimensions

