

Brass Finishes

Base Metal	Description	US	ANSI/BHMA	
Brass	Polished Clear Coated	US3	605	
Brass	Polished No Coating	US3NL	(7577)	
Brass	Satin Clear Coated	US4	606	
Brass	Satin Oxidized Relieved	US5	609	
	Polished Nickel Plated, Clear Coated	US14	618	
Brass	Satin Nickel Plated Clear Coated	US15	619	
Brass	Satin Nickel Blackened Relieved Clear Coated	US15A	620	<u>.</u>
Brass	Flat Black Powder Coated	US19	622	
Brass	Polished Chrome Plated	US26	625	
Brass	Satin Chrome Plated	US26D	626	

Aluminum Finishes

Base Metal	Description	US	ANSI/BHMA	
Aluminum	Satin	US27	627	
Aluminum	Clear Anodized	US28	628	
Aluminum	Light Bronze Anodized	311		
Aluminum	Medium Bronze Anodized	312		
Aluminum	Dark Bronze Anodized	313	710	
Aluminum	Extra Dark Bronze Anodized	314		
Aluminum	Black Anodized	315	711	
Aluminum	White Powder Coat	WPC		
Aluminum	Red Powder Coat	RPC		
Aluminum	Black Powder Coat	BPC		
			1	









Bronze Finishes

Base Metal	Description	US	ANSI/BHMA	
Bronze*	Polished Clear Coated	US9	611	
Bronze*	Satin Clear Coated	US10	612	
Bronze*	Satin Black Oxidized Oil Rubbed	US10A	722	
Bronze*	Satin Oxidized Oil Rubbed	US10B	613	
	Dark Oxidized Satin Bronze, Equivalent	US10BE	613E	
Bronze*	Satin Oxidized Clear Coated	US10BL	614	
Bronze*	Dark Oxidized Statuary Clear Coated	US20A	624	
Stainless Steel	Polished	US32	629	
Stainless Steel	Satin	US32D	630	

10BE Dark Oxidized Satin Bronze equivalent: This new finish provides the richness and warmth of the 10B/613 "living" finish, but maintains its original color and appearance and will not fade or wear over time. The 10BE finish is offered by Corbin Russwin, McKinney, Norton, Rixson, Rockwood, SARGENT and Yale, providing visual consistency between ASSA ABLOY Group brands.







^{*} On most bronze finishes we will supply solid bronze material. Where solid bronze material is not available, we will use brass as a base material in its place.

^{**} Available on select items as indicated by the finish icon throughout the catalog.



Special Finishes

Base Metal	Description	Rockwood Code	BHMA Code	
Stainless Steel	Polished MicroShield Coated	US32 MS **		
Stainless Steel	Satin MicroShield Coated	US32D MS **		
Stainless Steel	Polished 316 Alloy	US32 316 **		
Stainless Steel	Satin 316 Alloy	US32D 316 **		

US32MS and US32DMS (MicroShield®): As part of its promise to provide innovative solutions to their customers, ASSA ABLOY Group companies offer the MicroShield® technology, a silver-based antimicrobial coating designed to inhibit the spread of germs and bacteria.

32316 and 32D316 are made from alloy 316 stainless steel containing molybdenum and extra nickel giving it substantially higher corrosion resistance than the standard stainless steels typically used in door hardware. This finish is ideal for use in coastal, urban, and industrial areas that have harsh environmental conditions.

Leather Options

English Bridle Leather



B-LBRN (Light Brown)



B-BUR (Burgundy)



B-MBRN (Medium Brown)



B-DBRN (Dark Brown)



B-BLK (Black)

Upholstery Leather



U-DBRN (Dark Brown)



U-BLK (Black)















Wood Species

Wood Species	Swatch
Hickory, Standard Domestic	
White Oak, Standard Domestic	
Red Oak, Standard Domestic	
Maple, Standard Domestic	
Beech, Premium	Committee of the same
Cherry, Premium	
Birch, Premium	
Mahogany, Super Premium	
Jatoba (Brazilian Cherry), Super Premium	
Canary Wood, Super Premium	2200
Walnut, Super Premium	

- Wood is a natural material, colors and grain will vary between pulls
- Other wood species are available by request
- Hickory is the stock species; other wood types will require longer lead times and may be subject to availability
- Additional charges will apply for Premium and Super Premium









Rockwood Finish Maintenance

Finish Code	Finish	Cleaning Instructions
US3	Polished & lacquered brass	Use a soft cloth and mild soap and water. Never use brass polish or an abrasive cleaner unless you intend to remove all lacquer and totally refinish the product.
US3NL	Polished unlacquered brass	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US4	Satin finish & lacquered brass	Use a soft cloth and mild soap and water. Never use brass polish or an abrasive cleaner unless you intend to remove all lacquer and totally refinish the product.
US9	Polished & lacquered bronze	Use a soft cloth and mild soap and water. Never use brass polish or an abrasive cleaner unless you intend to remove all lacquer and totally refinish the product.
US10	Satin finished & lacquered bronze	Use a soft cloth and mild soap and water. Never use brass polish or an abrasive cleaner unless you intend to remove all lacquer and totally refinish the product.
US10B	Oxidized & oiled bronze	Use a soft cloth and a paste furniture wax. Buff lightly so as not to remove the dark oxide coating where it remains.
US26	Polished chrome plated	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US26D	Satin chrome plated	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US28	Anodized aluminum	Use a soft cloth and mild soap and water.
313/315	Dark bronze or black anodized aluminum	Use a soft cloth and mild soap and water.
US32	Polished stainless steel	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US32D	Satin stainless steel	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US32DMS	Satin MicroShield Coated	Use a soft cloth and mild soap and water. Never use brass polish or an abrasive cleaner unless you intend to remove all lacquer and totally refinish the product.
US32D316	Satin stainless steel	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
US32316	Polished stainless steel	Use a soft cloth and a good metal cleaner. We recommend Mr. Metal by S. C. Johnson Company.
PWT	Polished white tombasil	Use NEVR-DULL brand metal cleaner and follow instructions on the product.
	Santoprene™ Grip Zones	Use mild soap and water.
SWT	Satin white tombasil	Use NEVR-DULL brand metal cleaner and follow instructions on the product.