




ASSA ABLOY

3700/8700/8800

Rim Exit Device

Owner's Manual



ASSA ABLOY, the global leader in door opening solutions



**TRADEMARK
HARDWARE**
WWW.TMHARDWARE.COM

Table of Contents

Table of Contents 2

What This Owner’s Manual Can Do For You 3

Owner’s Record 3

Exit Device Operation 4

Dogging the Push Bar 5

Removing or Replacing the End Caps 6

Positioning the Jamb Strike 7

Maintenance 8

Obtaining Replacement Parts and Service 8

Replacement Parts Available for 3700 RIM 9

Replacement Parts Available for 8700 RIM 10

Replacement Parts Available for 8800 RIM 11

Troubleshooting 12

Adams Rite Limited Warranty 12


What This Owner's Manual Can Do For You

- It shows exactly how to operate your exit device.
- It shows you simple things to do and check before you call for service, so you may save the cost of an unnecessary service call.
- It provides a complete listing of service replaceable parts.
- It contains your Adams Rite Limited Warranty and what steps to take for service.

Owner's Record


The model number is located on the hinge stile mounting base as shown below. Refer to this number and the additional information below when you call upon your local Adams Rite dealer regarding this product.

Model Number	3700/8700/8800
Finish	_____
Door Size	_____
Hardware Supplier	_____
Date Installed	_____



Exit Device Operation

Adams Rite rim mounted devices provide for life safety and security by use of a “starwheel” bolt and interlocking strike. The device is totally different from previous rim-mounted devices and achieves a new level of security for exit devices without sacrificing life safety in any way. Additional security (against jamb spreading) is achieved by a unique nose guard that interlocks with the hardened steel strike plate.



When the push bar is depressed, an interior deadlocking slide is pulled back to release the “starwheel” bolt allowing the door to open. Upon closing, the device engages the strike and the deadlocking slide returns to secure the door. Exterior entrance can be gained by key or with extensive line of entry trim available from Adams Rite.

NOTE: The following is not applicable to 3700 devices.

Dogging the Push Bar

Dogging the push bar disables the latching function, making the door a simple push/pull operation.

1. COMPLETE the following to dog the device.
 - a. DEPRESS the push bar completely and HOLD.


CAUTION

Over-rotation of the key past the prescribed $\frac{1}{4}$ turn can cause damage to the Exit Device.

- b. TURN the hex key $\frac{1}{4}$ turn clockwise.



2. To release, TURN the hex key $\frac{1}{4}$ turn counterclockwise.




Removing or Replacing the End Caps

NOTE: To facilitate maintenance procedures, the two end caps can be removed.

1. PERFORM the following to remove the end caps.
 - a. INSERT a small Phillips tip screwdriver through the holes located in the end caps and UNSCREW the concealed attachment screws.
 - b. REMOVE the end caps and SET aside.
2. PERFORM the following to replace the end caps.
 - a. LOCATE the end caps on the push bar.

NOTE: When replacing the end caps, the screws must be snapped in the screw clips on the inside of the end caps.

- b. ATTACH the end caps using a small Phillips tip screwdriver through the holes located in the end caps and TIGHTEN the attachment screws hand tight only.




Positioning the Jamb Strike

CAUTION

A proper frame stop must be used in conjunction with the door/exit device or damage may occur.

NOTE: The jamb strike must be properly located and tightened securely for the device to properly operate.

1. PERFORM the following to position the jamb strike.
 - a. POSITION the strike assembly so the “starwheel” bolt fully interlocks around the strike when the door is closed.
 - b. LOOSEN the mounting screws, as necessary, to adjust the horizontal positioning.
 - c. **WHEN** proper positioning is achieved, **THEN TIGHTEN** the mounting screws securely.



Maintenance

Exit devices are designed for life safety first. Adams Rite devices are cycle tested in excess of one million operations, both as prototypes during design and as quality control samples periodically during production. Atmospheric and other localized conditions vary greatly, but extremely dirty, salty or abrasive situations could require service attention such as lubrication of moving parts from time to time to assure reliability. Service personnel should be reminded that life safety is the goal.

Other maintenance that might be required specifically for a Rim device includes:

- Tightening of jamb strike screws
- Tightening of push bar mounting screws

Obtaining Replacement Parts and Service


The merchandise that you have purchase has been carefully engineered and manufactured under Adams Rite's rigid quality standards and should provide many years of satisfactory and dependable operation. However, like all mechanical merchandise, it may require replacement parts or maintenance.

The Parts Manual is also available on Adams Rite's web page at the following address:

www.adamsrite.com

Replacement Parts Available for 3700 RIM

NOTE: The mounting bar final assembly is not available.




* INCLUDED IN SCREW PACK 91-0837-01.

** INCLUDED IN FRAME KIT 91-0263-02.



Replacement Parts Available for 8700 RIM

NOTE: The mounting bar final assembly is not available.




* INCLUDED IN SCREW PACK 91-0837-01.

** INCLUDED IN FRAME KIT 91-0991-02

Replacement Parts Available for 8800 RIM

NOTE: The mounting bar final assembly is not available.



* INCLUDED IN SCREW PACK 91-0837-01

** INCLUDED IN FRAME KIT 91-0992-02

Troubleshooting

Symptom	Possible Causes	Corrective Action
Device will not dog.	Push bar is not fully depressed.	Review dogging procedures
	Dogging assembly is damaged.	Remove and inspect; and replace, if necessary.
Device is not latching.	Device is dogged.	Undog device per dogging procedures.
	Closer is not set at sufficient speed.	Make appropriate adjustments.
	Jamb strike is improperly aligned.	Starwheel must fully engage the jamb strike for complete latching. See Exit Device Operation section.
Exterior key will not unlock device.	Rim cylinder tailpiece is not of sufficient length.	Tailpiece must be long enough to fully engage cylinder actuator.
	Cylinder actuator is missing or damaged.	Replace mounting base. See the parts list and reference Item 91-8800.

Adams Rite Limited Warranty

Products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service.

This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts. This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products, Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite, FOB factory within the stated time frame listed below.

- All mechanical products for five (5) years from date of manufacture
- Ultraline 7400 Electric Strikes for five (5) years from date of manufacture
- All electrical products for three (3) years from date of manufacture, with the exception of the exit devices with the SE option
- Exit devices with the SE option for one (1) year from date of manufacture. Adams Rite recommends that for optimal performance all exit devices with the SE option are installed and powered using PS-SE power supplies. Installing SE exit devices with PS-SE power supplies extends the warranty to five (5) years from date of manufacture.

General RMA Procedure

Product repair or replacement, or associated charges, will not be accepted under this warranty unless prior authorization from Adams Rite has been given. Upon receipt of products returned for repair or replacement, Adams Rite will determine whether products qualify for repair or replacement under this warranty. Adams Rite has no liability to pay any costs of repair performed by anyone other than qualified personnel authorized by Adams Rite prior to the work being done.

Written notice of a product or component part believed to be defective as covered by this warranty should be sent to Adams Rite, 10027 S. 51st Street, Suite 102, Phoenix, Arizona 85044 or CustomerCare@AssaAbloyEMS.com and should include your name and address, an identification of the product or component part and a brief description of the defect. Notice of a product or component part believed to be defective as covered by this warranty may also be accepted over the telephone by Adams Rite, 800.872.3267.

Upon receipt of such notice, if the customer has an account with Adams Rite or a valid credit card, an advance replacement product may be ordered whereby Adams Rite will ship a replacement product to the customer free of charge. If Adams Rite does not receive the original defective product from the customer within 60 days, Adams Rite will charge the customer's account or credit card for the price of the advanced replacement product plus freight costs. Upon inspection of the returned product by Adams Rite, a decision will be made whether or not to charge the customer for the advanced replacement Adams Rite product. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms. Obsolete products will not be accepted for return. Return Material Authorizations (RMAs) will be closed if the goods are not received within 60 days of issuance.

If Adams Rite receives original defective product from the customer within 60 days of RMA issuance, and if the customer is requesting credit for the defective

material, the customer must reference the valid Adams Rite Purchase Order number upon which the product was originally ordered. If the original Purchase Order number is not available, at Adams Rite's option a credit may be issued at the customer's current cost. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms.

Transportation charges and insurance on all returned materials must be prepaid by the purchaser when merchandise is ordered in error. On goods returned for customer convenience, when the purchaser returns materials in compliance with these Terms which are accepted by Adams Rite, the purchaser may be issued a credit for 65% of the purchase price, with 35% charged by Adams Rite for handling and reprocessing. All refunds will be in the form of a credit.

Cancellation

As an industry leader, Adams Rite is committed to maintaining the highest standard of quality and ensuring strict compliance to industry codes. Adams Rite's proud history of customer service and manufacturing agility allow quick response times to customer's changing needs, which may include special orders or product modifications. Please be advised that all product modifications require special authorization to ensure the order fully meets customer's expectations. Customers are asked to allow for an extended lead time on all special orders. Please note that at Adams Rite's option, product modifications and other special orders cannot be changed, cancelled, or returned once a ship date has been provided on an order acknowledgement by Adams Rite.

Adams Rite prides itself on introducing new, industry-relevant, feature-rich products. Since new solutions will surpass the capabilities of older product lines, historical products may be subsequently discontinued. Every effort will be made to announce new product introductions as well as product discontinuations in a manner that allows customers advanced notice of these events. Once a product line is discontinued orders will be fulfilled in order of receipt, although Adams Rite cannot guarantee all orders can be filled. Repair services and spare parts for discontinued product lines will be available for some reasonable time period. Adams Rite reserves the right to replace discontinued product with an equivalent product as deemed by Adams Rite.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Factory Assistance

If the purchaser is unable to locate a service agency, or if the purchaser does not receive satisfaction from the source of which the exit device was purchased, or from local dealer, write or contact Adams Rite at the following address:

Adams Rite
10027 S. 51st Street, Suite 102
Phoenix, AZ 85044
Phone: 800-872-3267
Fax: 800-232-7329

Adams Rite

10027 S. 51st St. Ste 102

Phoenix, AZ 85044

Tel: 1-800-872-3267

Mon-Fri: 6:00am - 4:00pm PDT

Fax: 1-800-232-7329

www.adamsrite.com



ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

